SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT Title V Permit Summary

AQMD Facility ID:	13011 Company Name: M. C. Gill Corporation					
Equipment Location: 4040 - 4076 Easy Street, El Monte, CA 91731-1054 SIC Code:						
Permit Revision #:		Revision Date:		Facility Permit	Section(s) Affected:	
Application #(s): 503360			Application Submittal Date(s): 10/29/2009			
AQMD Contact Person:	ntact Hamed Mandilawi		Phone #: (909) 396-3275		E-Mail Address: hmandilawi@aqmd.gov	
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in the manufacturing of composite laminate panels for the aerospace industry. The facility operates various spray coating equipment, dip coating equipment, ovens, a batch mixing system, an acid etching line, boilers, and other supporting equipment. Volatile organic compound emissions from the dip coating equipment and ovens are controlled by air pollution control equipment afterburners.						
Permit Type: ☐ Initial Title V Permit ☐ Significant Revision ☐ Permit Renewal						
Permit Features: Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements Permit Contains Conditions Allowing Emission Trading Alternative Operating Scenario Permit Streamlines Overlapping or Outdated Requirements Other:						
Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance						
Toxic Air Contaminant □ No TACs Reported Emissions (TAC) - Annual □ The Following TACs Were Reported: Reported Emissions for □ Emissions (lbs/yr):						
Reporting Year: 2009	Ammonia Formaldehyde Benzene Naphthalene PAHs Chromium (VI)				1066 159 0.44 0.02 0.005 0.001	
Health Risk From Toxic Air Contaminants: Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) Facility Determined to be Exempt from AB2588 Requirements AQMD is Tracking Status of Facility under AB2588 Health Risk Assessment Submitted to AQMD and Is Being Reviewed Final Facility Health Risk Approved (date) Cancer Risk =						
Criteria Pollutant Emissions		⊠ NOx	1.19	PM	0.22	
Annual Reported Emi (tons/year) for Report	⊠ CO ⊠ VOC -	0.79	$\underline{\hspace{1cm}} \hspace{1cm} \boxtimes \hspace{1cm} \mathrm{S0x}$ $\square \hspace{1cm} \hspace{1cm} \mathrm{Other}$	0.02		
Compliance History: Citizen Complaints Filed in Last Two Calendar Years (# 3) Notices to Comply Issued in Last Two Calendar Years (# 0) Notices of Violation Issued in Last Two Calendar Years (# 0)						
Comments:						